

ACCEPTED
02/22/2022

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 66222-266

ACEPHATE	GROUP	1B	INSECTICIDE
----------	-------	-----------	-------------

ACEPHATE 97 WDG

Agricultural & Fire Ant Insecticide

For Use on beans, celery, cole crops, cotton, cranberries, mint, non-bearing citrus, non-crop areas, peanuts, peppers, soybeans, tobacco, container nursery stock, ornamental trees and shrubs, golf course and sod farm turfgrass, outdoor floral crops and ground covers, and greenhouse floral and foliage crops.

ACTIVE INGREDIENT:	% BY WT.
Acephate (0, S-Dimethyl acetylphosphoramidothioate)	97.0%
OTHER INGREDIENTS:	3.0%
TOTAL:	100.0%

Acephate 97 WDG is a *granular insecticide*.

KEEP OUT OF REACH OF CHILDREN CAUTION / PRECAUCION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you **DO NOT** understand the label, find someone to explain it to you in detail.)

Manufactured for:
Makhteshim Agan of North America, Inc. (d/b/a ADAMA)
3120 Highwoods Blvd., Suite 100
Raleigh, NC 27604
How can we help? 1-866-406-6262

EPA Reg. No. 66222-266

EPA Est. No.

NET CONTENTS: _____

FIRST AID

Contains an organophosphate that inhibits cholinesterase

IF SWALLOWED:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • DO NOT induce vomiting unless told to by a poison control center or doctor. • DO NOT give anything to an unconscious person.
IF IN EYES:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 to 20 minutes. • Call a poison control center or doctor for treatment advice.
IF INHALED:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.
Note to Physician: Acephate is a cholinesterase inhibitor. If signs of cholinesterase inhibition appear, atropine is antidotal. 2-PAM may also be used in conjunction with atropine but should not be used alone.	
Have the product container or label with you when calling a poison control center or doctor or going for treatment. For emergency medical treatment information, call 24 hours a day at 1-877-250-9291.	

In case of spills, fire, leaks or accidents call 1-800-535-5053.
(Note to Reviewer: OPTIONAL TEXT – Refer to Booklet for additional First Aid, Precautionary and Storage and Disposal Statements, or similar text if this statement is on current label)

GROUP 3 INSECTICIDE

BIFEN I/T



Insecticide/Termiticide

For prevention and control of termites, carpenter ants and other pests of structures. To control pests in and around such areas as homes, commercial and industrial buildings, recreational areas, athletic fields, lawns and ornamentals. Controls pests in livestock and poultry houses.

For use as a Termiticide: May only be used by individuals/firms licensed by the state to apply termiticide products. States may have more restrictive requirements regarding qualifications of persons using this product. Consult the pest control regulatory agency of your state prior to use of this product.

ACTIVE INGREDIENT:

Bifenthrin*7.9%

OTHER INGREDIENTS:..... 92.1%

TOTAL 100.0%

Bifen I/T contains 2/3 pound active ingredient per gallon.

*Cis isomers 97% minimum, trans isomers 3% maximum.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See attached booklet for additional precautionary statements

EPA Reg. No. 53883-118

NET CONTENTS:

EPA Est. No. 53883-TX-002

4 FL.OZ.

Manufactured by:



ADAMA

Control Solutions Inc.

5903 Genoa-Red Bluff, Pasadena, TX 77507

A member of Adama

Consumer and Professional Solutions

GROUP 3 | INSECTICIDE

BIFEN I/T



Insecticide/Termiticide

For prevention and control of termites, carpenter ants and other pests of structures. To control pests in and around such areas as homes, commercial and industrial buildings, recreational areas, athletic fields, lawns and ornamentals. Controls pests in livestock and poultry houses.

For use as a Termiticide: May only be used by individuals/firms licensed by the state to apply termiticide products. States may have more restrictive requirements regarding qualifications of persons using this product. Consult the pest control regulatory agency of your state prior to use of this product.

ACTIVE INGREDIENT:

Bifenthrin*	7.9%
OTHER INGREDIENTS:	92.1%
TOTAL	100.0%

Bifen I/T contains 2/3 pound active ingredient per gallon.

*Cis isomers 97% minimum, trans isomers 3% maximum.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See inside booklet for additional precautionary statements

EPA Reg. No. 53883-118

EPA Est. No. 53883-TX-002

NET CONTENTS: 1 PINT (16 OZ.)



ADAMA

Manufactured by:

**Control
Solutions Inc.**

5903 Genoa-Red Bluff, Pasadena, TX 77507

A member of Adama

Consumer and Professional Solutions

EPA 060717

[Master label]

CHLOROTHALONIL	GROUP	M05	FUNGICIDE
ACIBENZOLAR-S-METHYL	GROUP	P1	FUNGICIDE

Daconil Action™

Flowable Fungicide

For control of turf diseases: sod farms; turf on golf courses, professional and collegiate athletic fields; and lawns around commercial and industrial buildings.

Active Ingredients:

Chlorothalonil*.....	53.94%
Acibenzolar-S-methyl **.....	0.11%
<hr/>	
Other Ingredients:	45.95%
Total:	100.00%

* CAS No. 1897-45-6

** CAS No. 135158-54-2

Contains: 6.1 pounds chlorothalonil per gallon
0.012 pounds acibenzolar-S-methyl per gallon

KEEP OUT OF REACH OF CHILDREN.

WARNING/AVISO


Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

See additional precautionary statements and directions for use inside booklet.

EPA Reg. No. 100-1364

EPA Est.

Net Contents



[FRONT PANEL]

Dylox[®] 9.3% Insect Granules

(ABN) Bayer Advanced 24-Hour Grub Killer Plus¹ Ready-To-Spread Granules; Bianova Advanced[™] 24-Hour Grub Killer Plus Ready-To-Spread Granules; BioAdvanced[™] 24-Hour Grub Killer Plus Ready-To-Spread Granules; BioAdvanced[™] Science-Based Solutions 24-Hour Grub Killer Plus Ready-To-Spread Granules; Fortifend Advanced[™] 24-Hour Grub Killer Plus Ready-To-Spread Granules

READY-TO-USE

FOR OUTDOOR RESIDENTIAL USE ONLY

Dylox Kills

- white grubs,
- mole crickets,
- Other listed Lawn Pests including Ants[†], Armyworms, Billbugs, Chinch Bugs, Crickets, Cutworms, Earwigs, European Crane Flies, Grasshoppers, Leafhoppers, Millipedes, Pillbugs, Scorpions, Sowbugs, ~~S~~sod ~~W~~webworms and Ticks.

For Use On: Lawns

- Kills Grubs within 24 hours
- Delivers Overnight Results
- Stops Grubs From Further Damaging Lawn
- For Use After First Signs of Grubs
- Also Controls Ants[†], Armyworms, Billbugs, Chinch Bugs, Crickets, Cutworms, Earwigs, European Crane Flies, Grasshoppers, Leafhoppers, Millipedes, Pillbugs, Scorpions, Sowbugs, sod webworms and Ticks
- Contains Dylox
- Also kills Ants[†], Armyworms, Billbugs, Chinch Bugs, Crickets, Cutworms, Earwigs, European Crane Flies, Grasshoppers, Leafhoppers, Millipedes, Pillbugs, Scorpions, Sowbugs, sod webworms and Ticks
- Kills by (through) contact
- Kills Billbugs, Ticks (& Scorpions)
- Treats (covers) 5,000 sq. ft. (10 lb. size; white grubs, billbugs, mole crickets)
- Treats (covers) 7,500 sq. ft. (10 lb. size; other lawn pests)
- Treats (covers) 10,000 sq. ft. (20 lb. size; white grubs, billbugs, mole crickets)
- Treats (covers) 15,000 sq. ft. (20 lb. size; other lawn pests)
- 100% Satisfaction Guaranteed (or your money back)

NOTIFICATION

92564-40

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

1/9/2018

Marketing Claim for Brand Name Change:

New Name. Same Great Results.

New Name. Same Familiar Formula.

New Name. Same Performance.

ACTIVE INGREDIENT:

Trichlorfon 9.3%

OTHER INGREDIENTS: 90.7%

[†] Ants except Carpenter Ants, Fire Ants, Harvester Ants, and Pharoah Ants.

Net Weight: ~~_____Pounds~~ 10lbs., 20 lbs., 25lbs.

KEEP OUT OF REACH OF CHILDREN

CAUTION

(Base label):

Eagle[®] 20EW

Specialty Fungicide

A systemic, protectant and curative fungicide for disease control in established turfgrass, landscape ornamentals, greenhouse and nursery ornamentals, apples, stone fruits and grapes

Group	3	FUNGICIDE
--------------	----------	------------------

Active Ingredient

myclobutanil: a-butyl-a-(chlorophenyl)-
1H-1,2,4-triazole-1-propanenitrile..... 19.7%

Other Ingredients 80.3%

Total 100.0%

Contains petroleum distillates

Contains 1.67 lb of active ingredient per gallon

NOTIFICATION


62719-463

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

11/13/2024

[Editor's Note: The following Container Use Directions should be included on the label if product is packaged in a Tip 'n Measure bottle.]

Container Use Directions



1. Tip



2. Level



3. Dispense

1. Remove the measuring chamber cap and induction seal. Replace cap and securely tighten. Tip container until liquid fills measuring chamber.
2. Return container to level position. No adjustment is needed.
3. Remove measuring chamber cap and dispense into proper application equipment.

For multiple dose measuring: Remove fill chamber cap and dispense according to markings on side of bottle.

Keep Out of Reach of Children

CAUTION

First Aid

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If swallowed: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person.

If on skin or on clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Note to Physician: This product may pose an aspiration pneumonia hazard. Contains petroleum distillates.

Notice: Read the entire label. Use only according to label directions. **Before using this product, read Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies at end of label booklet. If terms are unacceptable, return at once unopened.**

In case of emergency endangering health or the environment involving this product, call 1-800-992-5994.

Agricultural Chemical: Do not ship or store with food, feeds, drugs or clothing.

Shake Well Before Using

EPA Reg. No. 62719-463

EPA Est. _____

™®Trademarks of Corteva Agriscience and its affiliated companies

**Produced for
Corteva Agriscience LLC
9330 Zionsville Road
Indianapolis, IN 46268**

Net Contents __

KEEP OUT OF REACH OF CHILDREN

Encase™

Anti-transpirant

ACTIVE CONSTITUENT: **90% Natural Cyclohexane Polymer**

An Anti-transpirant for use on ornamentals to reduce transplant stress, cold desiccation or summer scald.

For use in Turf Production to assist in reducing harvest stress and improve replant establishment. For use in Turf maintenance to reduce drought and heat stress and to provide a reduction in irrigation requirements



Formulation type
Emulsifiable
Concentrate **EC**

adama.com

CONTENTS: 5 L

DIRECTIONS FOR USE

Can be used on all growing plants including: Trees (Deciduous and Conifers), Evergreens, Christmas Trees, Shrubs, Turf situations (including farms, ovals, bowling greens, golf courses and other recreational grounds), Roses and Flowering Plants.

CAUTION: DO NOT apply in spray tank combination with any pesticide, on any crop.

CROP	RATE	CRITICAL COMMENTS
ORNAMENTALS & LANDSCAPE PLANTS Flowers, Flowering Plants, Evergreen & Deciduous Trees and Shrubs	50 mL/1 L water	Winter Protection - To reduce winter damage caused by COLD DESICCATION (All turf and Ornamental situations): Damage occurs due to cold desiccation and freezing temperatures. ENCASE™ will reduce the effects of cold desiccation, but will not prevent damage from freezing temperatures. To reduce the effects of cold desiccation, apply ENCASE™ in a full coverage spray, at least a few hours before a cold front arrives, while there is still adequate sunlight to set the film. The addition of kelp based materials at 3 - 5 L/ha improves the activity of ENCASE™ to manage cold desiccation situations. ENCASE™ Anti-transpirant is also a useful tank mix partner with Adama Quali-Pro Foursome Turf pigment for improved adhesion and rainfastness, whilst providing improved turfgrass performance in the cooler seasons of the year.
	100 mL/4 - 5 L water	Spray or dip foliage before transplanting, to reduce transplanting shock. Use on established plants during the growing season to reduce summer scald. Good spray coverage can usually be achieved on low growing plants with 1200 L/ha of spray mix. Be certain the bottoms as well as tops of leaves are covered by spray. CAUTION: For dip applications, maintain agitation by stirring the dip emulsion during the entire dipping period. DO NOT dip plant roots or wash/spray ENCASE™ solution into the root zone.

[Text in brackets is optional]

BIFENAZATE	GROUP	20D	ACARICIDE
------------	-------	-----	-----------

Floramite® SC

ORNAMENTAL MITICIDE

ACTIVE INGREDIENT:	% BY WT.
Bifenazate: Hydrazine carboxylic acid, 2-(4-methoxy-[1,1'-biphenyl]-3-yl)1-methylethyl ester	22.6%
OTHER INGREDIENTS	77.4%
TOTAL	100%

Contains 2 lb bifenazate per gallon.

KEEP OUT OF REACH OF CHILDREN CAUTION / PRECAUCIÓN

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)

[Note to reviewer, bracketed text is optional]

[[See [front][back][side][inside][attached booklet][containers inside][inside booklet][inside leaflet] [booklet] [panel] for [additional] [Precautionary Statements] [First Aid][and] [complete] [Directions for Use].];
[See [front][back][side][inside][attached booklet][containers inside][inside booklet][inside leaflet] [booklet] [panel] inside for complete Directions For Use, including Conditions of Sale and Warranty.]
[PEEL HERE TO OPEN PRESS TO RESEAL ►]

FIRST AID	
IF SWALLOWED:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For 24 HOUR MEDICAL EMERGENCY ASSISTANCE CALL Rocky Mountain Poison and Drug Safety at 1-866-673-6671.	

**FOR 24-HOUR CHEMICAL EMERGENCY (Spill, leaks, fire, exposure or accident) CALL
CHEMTREC: 1-800-424-9300 or +1-703-527-3887.**

For Product Use Information Call 1-866-761-9397

EPA Reg. No. 70506-537

xxxxxxV013

[Batch Code will be placed on the container.]


Produced For:

EPA Est. No.:

NET CONTENTS:



UPL NA INC.
630 Freedom Business Center, Suite 402
King of Prussia, PA 19406 U.S.A



NOTIFICATION

432-1318

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

10/25/2016

GROUP

4A

INSECTICIDE

Merit® 75 WSP Insecticide

[ABN: Lesco Bandit 75 WSP Insecticide; Prokoz Zenith 75 WSP Insecticide; Submerge 75 WSP Insecticide; Hunter 75 WSP Insecticide; Criterion 75 WSP Insecticide; and Touchstone 75 WSP Insecticide]

For foliar and systemic insect control of listed pests in turfgrass (including sod farms), landscape ornamentals, fruit and nut trees, and interior plantscapes

[Marketing Claims for Product Packed in Mini Drum

Merit Mega Mini-Drum

Treats up to 27.5 acres

25% More Merit, Free]

[Coleoptera: Scarabaeidae Image] [Agrilus planipennis Fairmaire Image] [Adelges tsugae Annand Image] [Myzus persicae Sulzer Image] [Bemisia tabaci Gennadius Image]

[Coleoptera: Scarabaeidae Image] [Myzus persicae Sulzer Image] [Bemisia tabaci Gennadius Image] [Hemiptera: Tingidae Image] [Thysanoptera: thrips Image] [Scapteriscus spp. Image]

Editorial Note – [Bracketed text] is optional language

ACTIVE INGREDIENT:

Imidacloprid, 1-[(6-Chloro-3-pyridinyl)methyl]-N-nitro-2-imidazolidinimine 75%

OTHER INGREDIENTS: 25%

TOTAL: 100%

Keep water-soluble packets in this container and store in a cool dry place but not below freezing (32° F).

Do Not Remove Packets From Container Except For Immediate Use.

EPA Reg. No. 432-1318

EPA Est. No. ____

**STOP - READ THE LABEL BEFORE USE
KEEP OUT OF REACH OF CHILDREN**

CAUTION

PARA EL USUARIO: Si usted no lee o entiende inglés, no use este producto hasta que le hayan explicado completamente las instrucciones que figuran en la etiqueta.

(TO THE USER: If you cannot read or understand English, do not use this product until the label has been fully explained to you.)

See [Back] [Side] Panel for First Aid Instructions and [Leaflet] [Booklet] for Complete Precautionary Statements and Directions for Use. (Note to reviewer: Location of additional precautionary statements, directions for use will vary between those listed, depending on container type/size.)

For MEDICAL and TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-334-7577

For PRODUCT USE Information Call 1-800-331-2867

FIRST AID

If swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 - 20 minutes. • Call a poison control center or doctor for treatment advice.
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
In case of emergency call toll free the Bayer Environmental Science Emergency Response Telephone No. 1-800-334-7577. Have a product container or label with you when calling a poison control center or doctor, or going for treatment.	
NOTE TO PHYSICIAN: No specific antidote is available. Treat the patient symptomatically.	

ACCEPTED

Apr 17, 2019

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 53883-431

[Text in brackets and italics are notes to the label editor.]

[Text in brackets alone are optional statements or alternative statements.]

MYCLOBUTANIL

GROUP

3

FUNGICIDE

Quali-Pro[®] Myclobutanil 20 EW T&O

[Fungicide]

A systemic, protectant, and curative fungicide for disease control in turfgrass, landscape ornamentals, greenhouse and nursery ornamentals, apples, stonefruit, and grapes.

[Contains myclobutanil, the active ingredient used in Eagle 20EW. Quali-Pro[®] Myclobutanil 20EW T&O is not manufactured or distributed by Dow AgroSciences LLC.]

ACTIVE INGREDIENT:

Myclobutanil: alpha-butyl-alpha-(chlorophenyl)-1H-1,2,4, triazole-1-propanenitrile 19.7%

OTHER INGREDIENTS*: 80.3%

TOTAL: 100.00%

Contains Petroleum Distillates. Contains 1.67 pounds of active ingredient per gallon.



ADAMA

Consumer & Professional Solutions

Manufactured for:

Control Solutions, Inc.
5903 Genoa Red Bluff
Pasadena, TX 77507

EPA Reg. No: 53883-431

EPA Est. No: _____

Net Contents: _____

**SHAKE WELL BEFORE USING
KEEP OUT OF REACH OF CHILDREN**

CAUTION

[Alternate text – all or in part: See side panel(s)/inside booklet for complete First Aid, Precautionary Statements, Directions for Use and Storage and Disposal.]

FIRST AID	
IF IN EYES:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. • Remove contact lenses, if present, after the first 5 minutes; then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Do not give any liquid to the person. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact SafetyCall [®] (866) 897-8050 for emergency medical treatment information.	
NOTE TO PHYSICIAN: Contains petroleum distillate – vomiting may cause aspiration pneumonia.	



A HUBER COMPANY

Nu-Film® 17

***The amount of principal functioning agent in the formulation does not determine the activity. Activity is governed by the type of film which is formed. [The main principal functioning agent in this product is Pinolene® terpenic polymer].
Proprietary Protected Technology
Calif. Reg. No. 90930-50021**

Sticker/Extender/Deposition Aid/Surfactant

***PRINCIPAL FUNCTIONING AGENTS:
Pinene (Diperpene) polymers, petrolatum,
alkyl amines ethoxylate.100%**

KEEP OUT OF REACH OF CHILDREN

Manufactured by:
MILLER CHEMICAL & FERTILIZER, LLC
P.O. Box 333, Hanover, PA 17331
U.S.A.
SRL07082020v1.1

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Wear chemical-resistant gloves, long-sleeved shirt and long pants, and shoes plus socks as needed.

FIRST AID If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes.

If in eyes: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have the person sip a glass of water, if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.

STORAGE AND DISPOSAL Keep in original container. Store above 32° F. For help with any spill, leak, fire or exposure involving this material, call day or night CHEMTREC (800) 424-9300.

CONTAINER DISPOSAL Triple rinse (or equivalent) during mixing or loading. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler, visit the ACRC web page at www.acrcycle.org. Decontaminated containers may also be disposed of in a sanitary landfill.

NET CONTENTS: 2.5 GALLONS • NET WEIGHT: 19.35 lbs.

OMNI OIL 6

(INSECTICIDE-MITICIDE) LIQUID
A NARROW RANGE SUPERIOR SPRAY OIL

ACTIVE INGREDIENT:

Mineral Oil* 98.00%

OTHER INGREDIENTS: 2.00%

TOTAL 100.00%

Superior Petroleum Oil Minimum Unulfonated Residue - 92%

*Contains petroleum distillates.

NOTE: THIS PRODUCT IS NOT INTENDED FOR GREENHOUSE USE.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See inside Panel for Additional Precautionary Statements

FIRST AID

IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Do not induce vomiting unless told to do so by the poison control center or doctor.• Do not give any liquid to a person.• Do not give anything by mouth to an unconscious or convulsing person.
IF INHALED:	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.• Call a poison control center or doctor for further treatment advice.
IF IN EYES:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.

Have the product container with you when calling a poison control center or doctor or when going for treatment. You also may call Chemtrec at 1-800-424-9300 for emergency medical treatment information.

NOTE TO PHYSICIAN: This product contains petroleum distillates and may pose an aspiration pneumonia hazard. Do not induce vomiting.

EPA Reg. No. 5905-598

EPA EST. NO.

AD 120915

NET CONTENTS:

MANUFACTURED FOR
HELENA AGRI-ENTERPRISES, LLC
225 SCHILLING BOULEVARD, SUITE 300
COLLIERVILLE, TENNESSEE 38017



ACCEPTED

Sep 28, 2022

Under the Federal Insecticide, Fungicide
and Rodenticide Act as amended, for the
pesticide registered under

EPA Reg. No. 5905-598

PHC[®] for Trees SRN 11-22-22

PHC for Trees SRN 11-22-22 is a fully soluble product that provides both chemical and biological fertility. Its chemically-based elements address trees' immediate nutritional needs, while its beneficial microbes will help to sustain fertility over the long term. A new surfactant technology (RZ3) helps the product to readily penetrate soil. PHC for Trees SRN 11-22-22:

- Is a low to moderate nitrogen fertilizer ideal for fall applications or other situations where low nitrogen levels are preferred
- Provides both macro- and micronutrients to replenish seasonal (short-term) fertility requirements, and promote growth, health and vigor
- Provides select microbes that fix atmospheric nitrogen, solubilize phosphorus and release bound mineral elements in soluble form through decomposition of organic materials for long-term fertility benefits
- Can be applied by soil injection or by drench
- Is compatible with PHC Tree Injectable for Trees and other mycorrhizal fungal inoculant products

DIRECTIONS FOR USE

SOIL INJECTION: Mix recommended amount of PHC for Trees with water, and inject soil to a depth of 8 to 10 inches. Start injections immediately past the root flare, being careful to avoid damage to large woody roots. Where possible, injections should cover the entire area beneath the canopy and just beyond the drip line.

Using the recommended rate below will apply 0.6-Lbs of nitrogen and 1.3-Lbs of both phosphorus (P₂O₅) and potassium (K₂O) per 1000 square feet.

Standard Injection Rate:

- Mix 8-Lbs (1 bag) PHC for Trees per 100 gallons of water
- **SOIL INJECT:**
- 100 gallons per 1250 sq ft (2 quarts per injection on 2.5 foot centers) or
- 5 gallons per inch DBH (diameter at breast height)

Compacted or Nonporous Soils:

- Mix 16-Lbs (2 bags) PHC for Trees per 100 gallons of water
- **SOIL INJECT:**
- 100 gallons per 2500 sq ft (1 quart per injection on 2.5 foot centers) or
- 2.5 gallons per inch DBH (diameter at breast height)

SOIL DRENCH: Mix 8-Lbs (1 bag) PHC for Trees with 100 gallons of water and drench the entire area beneath the canopy. This rate covers 1250 sq ft. For best results, follow with water application to rinse the product into the soil.

Not recommended for foliar application.

Mixed solution should be used within a 12 hour period.

STORAGE/SHELF LIFE

This product is stable in cool, dry storage conditions. Refer to expiration date on package. Do not expose to direct sunlight for extended periods. PHC for Trees will remain an excellent fertilizer, but the number of beneficial microbes may be reduced after the expiration date shown on the package.

PACKAGING

8-Lb bags and 40-Lb bags

LOW NITROGEN BIOFERTILIZER

GUARANTEED ANALYSIS 11-22-22

NUTRIENT	% by Weight
Total Nitrogen (N)	11%
2.6% Ammoniacal Nitrogen	
2% Nitrate Nitrogen	
0.8% Urea	
1.2% Slowly Available Water-Soluble Nitrogen*	
4.4% Water-Insoluble Nitrogen	
Available Phosphate (P ₂ O ₅)	22%
Soluble Potash (K ₂ O)	22%
Boron (B)	0.02%
0.02% Soluble Boron	
Copper (Cu)	0.05%
0.05% Chelated Copper	
Iron (Fe)	0.10%
0.10% Chelated Iron	
Manganese (Mn)	0.05%
0.05% Chelated Manganese	
Molybdenum (Mo)	0.0009%
0.0009% Water-Soluble Molybdenum	
Zinc (Zn)	0.05%
0.05% Chelated Zinc	

Derived from: Ureaformaldehyde, Ammonium Sulfate, Potassium Phosphate, Potassium Nitrate, Boric Acid, Iron EDTA, Manganese EDTA, Zinc EDTA, Copper EDTA and Ammonium Molybdate.

*Slowly available nitrogen from ureaformaldehyde

Potential Acidity: 461-Lb Calcium carbonate equivalent per ton

NON PLANT FOOD INGREDIENTS % by Weight

Humic acids derived from Leonardite	1.8%
Soluble seaweed extract	2.2%
Natural sugars (dextrose)	0.8%
Yeast extract	0.3%
RZ-3 Surfactant* (alkoxylated glucopyranoside)	2.8%

MICROBIAL CONTENT 2.8 Billion/Lb

466 Million cfu/Lb <i>Bacillus licheniformis</i>
466 Million cfu/Lb <i>Bacillus megaterium</i>
466 Million cfu/Lb <i>Bacillus polymyxa</i>
466 Million cfu/Lb <i>Bacillus subtilis</i>
466 Million cfu/Lb <i>Bacillus thuringiensis</i>
466 Million cfu/Lb <i>Paenibacillus azotofixans</i>

INERT INGREDIENTS 92.1%

Fertilizer	91.1%
Leonardite extract (other than humic acids)	1%

*RZ-3 is a proprietary surfactant, US Patent #6,460,290

HEALTH AND SAFETY INFORMATION

- In case of allergic reaction(s), treat symptoms and contact physician.
- In case of ingestion, seek medical attention.
- Keep out of reach of children.

TECHNICAL ASSISTANCE

For technical assistance, call 1-800-421-9051

Plant Health Care, Inc.

440 William Pitt Way • Pittsburgh, PA 15238

Tel: (800) 421-9051 • Fax: (412) 826-5445

www.planthealthcare.com

© 2005 Plant Health Care, Inc.

7/06



LIMITED WARRANTY Plant Health Care, Inc. offers for sale the product PHC[®] for Trees. THERE ARE NO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE which extend beyond the description of the product in this specification sheet or other product literature, and liability of Plant Health Care, Inc. is limited to replacement of any product which does not meet these specifications. Suggestions for use and information on results obtained with its use are assumed by the manufacturer to be reliable. Since conditions of use are outside the control of Plant Health Care, Inc. the buyer is responsible for all results, including injury and damage stemming from the use of this product alone or in combination with other materials.

{Note to Reviewer: Braces { } indicate information that will not be on the final label.
Brackets [] indicate optional text that may or may not be on the final label.
Parentheses () indicate text that will appear on the final label in parenthesis. "/" indicates alternate language.}

Master Label - identifying market sub-labels

{Sub-label A: Product mixed by User}

{Front panel located on front of container and booklet affixed to back of container}

PURESPRAY™ GREEN FORMULA 3

FOR RESIDENTIAL USE ONLY

ACTIVE INGREDIENT:	BY WEIGHT
Mineral Oil*:	98.00%
Inert Ingredients:.....	<u>2.00%</u>
Total:	100.00%
Unsulfonated Residue of the Oil.....	99.00%
	(Minimum)
Aromatic Composition by ASTM D2140	0.00%

*Contains Petroleum Distillates

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See below/back panel/side panel/inside/booklet for additional precautionary statements.

NET CONTENTS: _____

{BATCH CODE WILL APPEAR ON IMMEDIATE CONTAINER}

{back panel and booklet}

MADE IN CANADA (MAY CONTAIN IMPORTED PARTS) FOR:


**Intelligro
2310 Lakeshore Road West
Mississauga, Ontario L5J 1K2
Canada
1-844-388-2665**

™ Trademark of Suncor Energy Inc. Used under license.
Patent(s):www.suncor.com/patents

EPA REG NO. 69526-14

EPA EST. NO. 79693-CAN-001

{OMRI Seal graphic}



Sublabel A: Agricultural and Commercial Uses Label

Reliant® Systemic Fungicide

{Select Marketing Claims from the "Marketing Claims" section below}

Active Ingredients:

Mono- and di-potassium salts of Phosphorous Acid*	45.8%
Other Ingredients	54.2%
Total	100.0%

*Contains 5.17 lbs/gallon of the active ingredients mono- and di-potassium salts of Phosphorous Acid.
Equivalent to 3.35 lbs Phosphorous Acid/gallon


Keep Out of Reach of Children

CAUTION

See Booklet for First Aid, additional Precautionary Statements and complete Directions for Use

[Batch No.:]

[Date of Manufacture:]



EPA Reg. No. 83416-1
EPA Est. 89083-FL-1
EPA Est. 73771-WA-1
EPA Est. 83416-KS-1

See batch number for establishment code

Net Contents:

- | | |
|--------------------------------------|--------------------------------------|
| <input type="checkbox"/> 1 Pint | <input type="checkbox"/> 30 Gallons |
| <input type="checkbox"/> 1 Quart | <input type="checkbox"/> 55 Gallons |
| <input type="checkbox"/> 1 Gallon | <input type="checkbox"/> 250 Gallons |
| <input type="checkbox"/> 2.5 Gallons | |

Quest

Products LLC

Finding new ways to Improve the
Treatment of Trees and Plants

Quest Products LLC
11712 230th St. • Linwood, KS 66052
Phone: 785-542-2577
Fax: 785-542-2531
www.QuestProducts.us

{Booklet}

First Aid

If Swallowed:	<ul style="list-style-type: none"> • Immediately call a poison control center or doctor for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If in Eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If on Skin or Clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Immediately rinse skin with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If Inhaled:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For non-emergency information on product usage call 785-542-2577, Monday through Friday, 9 am to 5 pm (Central time). For medical emergencies call the National Poison Control Center at 1-800-222-1222.

{The First Aid statements may appear in a paragraph format if market label space does not permit the grid format.}

roots®

Fertilizer for Trees

27-9-9
Water Dispersible Fertilizer

APPLICATION AND RATES:

Soil injection: Mix the recommended amount of ROOTS® Fertilizer for Trees with water, and inject into the soil to a depth of 8 to 10 inches. Start injections immediately past the root flare, being careful to avoid damage to large woody roots. Where possible, injections should cover the entire area beneath the canopy and just beyond the drip line.

Standard Injection rate: 8-Lbs per 1,250 sq. ft.

- Mix 8-Lbs (1 bag) ROOTS® Fertilizer for Trees per 100-gallons water and Inject:
- 100-gallons per 1,250 sq. ft. (2 quarts per injection on 2 ½ foot centers) or
- 5-gallons per inch DBH (diameter at breast height)

Compacted or Nonporous Soils: 8-Lbs per 1,250 sq. ft.

- Mix 16-Lbs (2 bags) ROOTS® Fertilizer for Trees per 100-gallons water and Inject:
- 100-gallons per 2,500 sq. ft. (1 quart per injection on 2 ½ foot centers) or
- 2 ½-gallons per inch DBH (diameter at breast height)

Any of the above regimens will apply approximately 1.7-Lbs (0.7-Kg) of nitrogen and 0.6-Lbs (0.2-Kg) of available phosphate (P₂O₅) and soluble potash (K₂O) per 1,000 sq. ft. (100 m²).

Soil drench: Mix the recommended amount of ROOTS® Fertilizer for Trees with water, and drench the entire area beneath the canopy. Mix 8-Lbs (1-bag) per 100-gallons and apply:

- Established trees: Apply 100-gallons per 1,250 sq. ft.
- Containerized trees: Apply ¼ of the container volume. (example: 1 quart/gallon container)

For best results, follow with water application to rinse product into the soil. ROOTS® Fertilizer for Trees can be tank mixed with all ROOTS® Injectable products for simultaneous application.

Not formulated for foliar application. Not labeled for use on food crop sites.

STORAGE/SHELF LIFE

This product is stable in cool, dry storage conditions. Refer to expiration date on package.

Do not expose to direct sunlight for extended periods. ROOTS® Fertilizer for Trees will remain an excellent fertilizer, but the number of beneficial microbes may be reduced after the expiration date shown on the package.

Precautionary Statements:

Keep away from heat/sparks/open flame/hot surfaces, from clothing, and from other combustible materials. No smoking. Take precautions to avoid mixing with combustibles. Avoid breathing dust.

Wash hands and exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection.

Wear fire/flammable resistant/retardant clothing.

IF SWALLOWED: Rinse mouth. Immediately call a POISON CENTER or doctor physician.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF SKIN IRRITATION OCCURS: Get medical advice/attention.

In case of a major fire involving large quantities, evacuate area.

Use extinguishing media suitable to local circumstances and the surrounding environment. Options include water spray, dry chemical, carbon dioxide, Halon, or fog.

Keep out of reach of children.

Dispose in accordance with all federal, state and local regulations.

HAZARDS NOT OTHERWISE CLASSIFIED (HNOC):

The bacteria contained in this product are strains of typically harmless soil and water bacteria, and are not associated with disease or infections under normal circumstances. However, reasonable precautions are in order. Handle as you would rich, dark soil or compost: keep it out of your mouth, eyes, lungs, and broken skin. Wash hands thoroughly after use. Remove and launder heavily soiled clothing separately before reuse. Persons with severely suppressed immune systems, such as those with advanced AIDS, or those taking anti-rejection drugs, or those undergoing chemotherapy should contact their physician before handling ordinary microbial products.

Unknown acute toxicity: 3% of the mixture consists of ingredients of unknown toxicity

For technical assistance, call 1-800-233-1067. Information regarding the contents and levels of metals in this product is available on the internet at <http://www.regulatory-info-lebsea.com>

WARRANTY

NOTE to the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

Not labeled for use on food crop sites.

Net Wt 40 Lbs (18.18 Kg)



GUARANTEED ANALYSIS	
TOTAL NITROGEN (N)	27%
1.0% Nitrate Nitrogen	
12.5% Urea Nitrogen	
2.5% Other Water Soluble Nitrogen*	
11.0% Water Insoluble Nitrogen*	
Available Phosphate (P₂O₅)	9%
Soluble Potash (K₂O)	9%
Boron (B).....	0.02%
0.02% Water Soluble Boron (B)	
Copper (Cu).....	0.05%
0.05% Chelated Copper (Cu)	
Iron (Fe).....	0.10%
0.10% Chelated Iron (Fe)	
Manganese (Mn).....	0.05%
0.05% Chelated Manganese (Mn)	
Molybdenum (Mo).....	0.0009%
0.0009% Water Soluble Molybdenum (Mo)	
Zinc (Zn).....	0.05%
0.05% Chelated Zinc (Zn)	
Derived from: Ureaformaldehyde, Urea, Monopotassium Phosphate, Potassium Nitrate, Boric Acid, Iron EDTA, Manganese EDTA, Zinc EDTA, Copper EDTA and Ammonium Molybdate.	
*13.5% Slowly available Nitrogen from Ureaformaldehyde	
Potential Acidity: 920-Lb Calcium carbonate equivalent per ton	
ALSO CONTAINS NON PLANT FOOD INGREDIENTS	
SOIL/PLANT AMENDING INGREDIENTS	
Active Ingredients	
Rhizosphere Bacteria	20 Million cfu/g
4.5 Million cfu/g <i>Bacillus licheniformis</i>	
4.5 Million cfu/g <i>Bacillus megaterium</i>	
1 Million cfu/g <i>Bacillus polymyxa</i>	
4.5 Million cfu/g <i>Bacillus pumilus</i>	
4.5 Million cfu/g <i>Bacillus subtilis</i>	
1 Million cfu/g <i>Paenibacillus azotofixans</i>	
MICROBIAL NUTRIENTS	3.3%
2.2% Soluble Seaweed Extract (derived from <i>Ascophyllum nodosum</i>)	
0.8% Maltodextrin	
0.3% Yeast Extract	
Humic Acids (derived from Leonardite).....	1.8%
*RZ-3 Surfactant (alkoxylated glucopyranoside)....	2.8%
INERT INGREDIENTS	92.1%
91.1% Fertilizer	
1.0% Leonardite extract (other than humic acids)	

*RZ-3 is a proprietary surfactant, U.S. Patent # 6,460,290.

F699



Expiration Date: _____

i/15

Water Soluble
Granule

Roundup
QuikPROTM
Herbicide

Roundup QuikPRO herbicide is a fast-acting, non-selective professional herbicide for use in non-crop areas and industrial sites.

Roundup QuikPRO herbicide
Dead Weeds – Quick



ACCEPTED
FOR REGISTRATION

10/20/11

New York State Department
of Environmental Conservation
Division of Materials Management
Pesticide Product Registration

Doc. ID: 528652

Keep Out of Reach of Children.

CAUTION! See back panel booklet for additional precautionary statements.

Manténgase fuera del alcance de los niños.

¡PRECAUCION! Vea trasero el librete del panel para las declaraciones preventivas adicionales.

ACTIVE INGREDIENTS:

*Glyphosate, N-(phosphonomethyl) glycine, in the form of its ammonium salt.....	73.3%
Diquat dibromide [6,7-dihydrodipyrido (1,2-a;2',1'-c) pyrazinediium dibromide].....	2.9%
OTHER INGREDIENTS:	23.8%
	100.0%

*Equivalent to 66.6% of the acid, glyphosate, 1.0 pound of Roundup QuikPRO herbicide contains 0.73 pound of the ammonium salt of glyphosate and 0.03 pound of the dibromide salt of diquat.

See label booklet for precautions and instruction in English and Spanish.
Vea el librete de la etiqueta para las precauciones y la instrucción en inglés y español.

NET WT 6.8 LBS

Container filled by weight, not volume.

98005J7-9/53



GROUP	4A	INSECTICIDE
-------	----	-------------

7
16

NOTIFICATION

NOTIFICATION
JUL 30 2010

SAFARI™ 2 G INSECTICIDE

For systemic insect control in ornamental plants
For Greenhouse, Interior Plantscape, Lath and Shadehouses, Nursery and Outdoor
Landscape Use

Active Ingredient:	By Wt.
*Dinotefuran.....	2%
Other Ingredients.....	98%
Total.....	100%

*N-methyl-N'-nitro-N'-[(tetrahydro-3-furanyl)methyl]guanidine

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE NEXT PAGE FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

EPA Reg. No. 59639-149
EPA Est. No. 67545-AZ-01

NET WEIGHT 20 Pounds

ACCEPTED

FEB 18 2014

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg No. 45728-26

2/13

Intended for use by professional applicators only

TAMINCO people & molecules



Spotrete™ F Fungicide

[Optional Marketing Statement:] For the control of select foliar diseases in non-residential turf, seed treatments and animal repellency on deciduous and evergreen trees and shrubs (and non-bearing vines and orchards).

ACTIVE INGREDIENT:

Thiram [Tetramethylthiuram disulfide]	44.0%
OTHER INGREDIENTS.....	56.0%
	TOTAL 100.0%

Equivalent to 4.0 lb Thiram per U.S. gallon or 480g/l

EPA Reg. No. 45728-26

EPA Est. No. 32557-BEL-1

Keep Out Of Reach Of Children CAUTION

FIRST AID	
IF SWALLOWED	<ul style="list-style-type: none"> Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF IN EYES	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF INHALED	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For Emergencies involving a Spill, Leak, Fire, Exposure, or Accident, Contact: CHEMTREC at (800) 424-9300. For product usage information, phone Taminco US Inc., toll free at (800) 223-3258 from 9:00 AM to 5:00 PM Eastern time.	

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Harmful if inhaled. Causes moderate eye irritation. Avoid breathing spray mist or vapor. Do not take alcohol immediately before or after exposure to this product. The consumption of alcohol by the applicator can increase the toxicity of the product. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

8/5/2024

TALSTAR[®] TC FLOWABLE TERMITICIDE/INSECTICIDE

(ALTERNATE BRAND NAMES:

Baseline Florida Insecticide, Talstar One Termiticide/Insecticide/Miticide, Talstar P Professional Insecticide, Talstar Termiticide Insecticide, Valueline Bifenthrin TC, LESCO Crosscheck plus Multi-Insecticide, Ortho Max Pro, Pro-Mate Bifenthrin, Talstar One Insecticide)

To control pests indoors and outdoors on residential, institutional, public, commercial, and industrial buildings, greenhouses, animal confinement facilities/livestock premises, kennels, food handling establishments, and lawns, ornamentals, parks, recreational areas and athletic fields.

When used as a termiticide, individuals/firms must be licensed by the state to apply termiticide products. States may have more restrictive requirements regarding qualifications of persons using this product. Consult the pest control regulatory agency of your state prior to use of this product.

- Provides up to 1 month residual control of house flies
- Kills fleas for up to 3 months

EPA Reg. No. 279-3206

EPA Est. xxx-

Active Ingredient:	By Wt.
Bifenthrin*	7.9%
Other Ingredients:	92.1%
Total:	100.0%

Talstar TC contains 2/3 pound active ingredient per gallon.
*Cis isomers 97% minimum, trans isomers 3% maximum.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

FMC
FMC Corporation
2929 Walnut Street
Philadelphia PA 19104

Net Contents

NOTE to EPA Product Manager: Text in brackets [] is optional.

Rev. 07/04/2024

FIRST AID
<p>If swallowed</p> <ul style="list-style-type: none"> • Call poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
<p>If inhaled</p> <ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice
<p>If on skin or clothing</p> <ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
<p>If in eyes</p> <ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
<p>MEDICAL HOTLINE NUMBER</p> <p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-(800)-331-3148 for Emergency Assistance.</p>
<p>NOTE TO PHYSICIAN</p> <p>This product is a pyrethroid. If large amounts have been ingested, the stomach and intestine should be evacuated. Treatment is symptomatic and supportive. Digestible fats, oils, or alcohol may increase absorption and so should be avoided.</p>

For **Technical Support or information** regarding the **use of this product** Call **1-800-321-1FMC (1362)**.

**PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals
CAUTION**

Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove contaminated clothing and wash before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

All pesticide handlers (mixers, loaders and applicators) must wear long-sleeved shirt and long pants, socks, shoes and chemical-resistant gloves. After the product is diluted in accordance with label directions for use, and/or when mixing and loading using a closed spray tank transfer system (such as an in-line injector system) shirt, pants, socks, shoes and waterproof gloves are sufficient. In addition, all pesticide handlers must wear a respiratory protection device¹ when working in a non-ventilated space. All pesticide handlers must wear protective eyewear when working in non-ventilated space.

¹Use one of the following NIOSH approved respirator with any R, P or HE filter or a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any R, P or HE prefilter.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

TEMPO SC INSECTICIDE

[ABN: Tempo® SC Ultra Insecticide]

[Spider, Ant, Mosquito, Grain Beetle, Weevils, Indian meal moth, and/or Cockroach Images]

Editorial Note – [Bracketed text] is optional language

ACTIVE INGREDIENT:

β- Cyfluthrin, Cyano(4-fluoro-3-phenoxyphenyl)methyl 3-(2,2-dichloroethenyl)-2,2-dimethyl-cyclopropanecarboxylate 11.8%

OTHER INGREDIENTS:..... 88.2%

TOTAL:..... 100.0%

Contains 1 lb cyano(4-fluoro-3-phenoxyphenyl)methyl 3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropanecarboxylate per gallon.

EPA Reg. No. 432-1363

EPA Est. No. ____


KEEP OUT OF REACH OF CHILDREN

CAUTION

See [Back][Side] Panel for First Aid Instructions and [Leaflet][Booklet] for Complete Precautionary Statements and Directions for Use.
(Note to reviewer: Location of additional precautionary statements, directions for use will vary between those listed, depending on container type/size.)

For MEDICAL and TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-334-7577
For PRODUCT USE Information Call 1-800-331-2867)

Net Contents: 8 mL - 250 gallons



PRODUCED FOR



Bayer Environmental Science
A Division of Bayer CropScience LP
5000 CentreGreen Way, Suite 400
Cary, NC 27513

[CLICK HERE TO JUMP TO USE DIRECTIONS](#)



TRANSFILM[®]

ANTI-TRANSPIRANT & STICKER

AN EMULSION OF POLYETHYLENES - POLYTERPENES

Principal Functioning Agents:	
Polymeric terpenes	13.54%
Oxidized polyethylene	14.93%
Constituents Ineffective as Spray Adjuvants	71.53%
TOTAL 100.00%	



GENERAL INFORMATION

TRANSFILM[®] is an improved anti-transpirant that effectively reduces the water loss of plants. Coating the leaves with a thin film of TRANSFILM can provide a water-impermeable barrier that reduces the water loss from transpiration. TRANSFILM will coat the leaf surface with a clear, glossy film that remains durable and stable.

TRANSFILM is a mixture of polyethylenes and polyterpenes and forms an emulsion with water. TRANSFILM combines the features of a uniform film coverage on the leaves with the ease of use. Applications of TRANSFILM can complement sound water management practices and can improve the establishment and survival of plants exposed to extreme or adverse conditions.

Landscape contractors, retail garden centers, wholesalers, and municipalities have applied TRANSFILM to deciduous trees, conifers, container stock, and bedding plants. Anti-transpirants such as TRANSFILM are applied to leaf surfaces to relieve the plant from water stress during storage, shipping, and establishment. For example, bare-root and burlap transplants may suffer transplant shock because the water absorption rate of the roots cannot match the transpiration rate. Foliar applications of TRANSFILM before transplanting help the transplant when the root system cannot compensate for the amount of water loss by transpiration. So, the benefits of TRANSFILM are that transplant shock can be decreased, plant losses can be minimized, and the transplant season can be extended.

MIXING INSTRUCTIONS AND CLEAN-UP

SPRAY PREPARATION:

Check the spray tank and the equipment for cleanness before preparing the spray solution. TRANSFILM should be mixed with water. Do not combine pesticides with TRANSFILM except when the labeling of the pesticide permits a tank mixture.

Fill the spray tank with 1/2 to 3/4 of the required amount of water and begin agitation. Add the required amount of TRANSFILM, and add the balance of water. Maintain agitation during mixing and spraying to ensure a uniform emulsion. Refer to Table 1 for quick-mix instructions.

Cleaning the spray equipment: Immediately clean the spray equipment with a soap solution according to the following instructions. Prepare a soap solution by mixing one (1) cup of detergent with two (2) gallons of water.

MIXING CHART

Table 1. Quick-mix instructions for preparing 1 to 100 gallons of spray solution at 2.5 to 10% concentrations (v/v) with water for foliar applications.

Spray Solutions, Gallons	Amount of TRANSFILM required for:		
	2.5%	5.0%	10.0%
1	3 fl. oz.	6 fl. oz.	12 fl. oz.
2.5	8 fl. oz.	16 fl. oz.	32 fl. oz.
5	1 pint	2 pints	4 pints
10	1 quart	2 quarts	4 quarts
15	0.38 gallon	0.75 gallon	1.5 gallons
20	0.50 gallon	1.0 gallon	2.0 gallons
50	1.25 gallons	2.5 gallons	5.0 gallons
100	2.5 gallons	5.0 gallons	10.0 gallons
Equal Measures: 1.0 gallon = 4 quarts = 8 pints = 128 fl. oz.			
Equal Concentrations (v/v):			
2.5% = one (1) gallon of TRANSFILM mixed with 40 gallons of water.			
5.0% = one (1) gallon of TRANSFILM mixed with 20 gallons of water.			
10.0% = one (1) gallon of TRANSFILM mixed with 10 gallons of water.			

For hand operated sprayers (backpack, knapsack, compression, or plunger sprayers): Rinse spray tank with water. Then, add soap solution and flush hoses, spray gun, nozzles, and strainers. Do not allow the spray solution of TRANSFILM to dry in the sprayer.

For engine driven pumps (piston, diaphragm, centrifugal, roller, and gear pumps): Rinse with water. Then add soap solution and flush the tank, hoses, lines, nozzles, strainers, and pumps. Do not allow the spray solution of TRANSFILM to dry in the sprayer.

To clean surfaces that were sprayed accidentally: Mix one (1) cup of detergent with two (2) gallons of water. Scrub the surface until clean and rinse with water.

USE INSTRUCTIONS

WINTER DESICCATION

TO REDUCE WINTER DESICCATION ON CONIFERS AND BROADLEAF EVERGREENS: Mix one (1) gallon of TRANSFILM with 10 to 20 gallons of water (Table 2). Or prepare a 5.0 to 10.0% (v/v) spray concentration according to the instructions in Table 1. Apply as a thorough cover spray in the late fall or early winter. Spray volumes will vary according to the plant size. Use adequate spray volumes to provide uniform coverage of all needles.

TRANSFILM will maintain the plant vigor throughout the winter.

CHRISTMAS TREES AND GREENERY


TO REDUCE THE DRYING OF CHRISTMAS TREES AND HOLIDAY GREENERY: TRANSFILM can reduce the drying of Christmas trees and holiday greenery and preserve the plant quality. Mix one (1) gallon of TRANSFILM with 40 gallons of water. Or, prepare a 2.5% (v/v) spray concentration according to the instructions in Table 1.

Apply as a thorough cover spray before shipping or during storage at the retailers. Spray volumes will vary according to the plant size. Use adequate spray volumes to provide uniform coverage of all needles and leaves.

TURFGRASS

TO REDUCE THE DESICCATION OF CUT AND ROLLED SOD: TRANSFILM can reduce the water loss of rolled sod during transit and can improve the establishment during adverse conditions. Apply as a broadcast treatment to the sod at least one (1) hour before cutting and rolling sod. Apply 2.5 gallons of TRANSFILM per acre. Spray volumes of 50 gallons per acre are recommended to ensure uniform coverage.

TO REDUCE THE WINTER AND SUMMER DESICCATION OF FINE TURFGRASS (INCLUDING GOLF GREENS): Apply as a broadcast treatment to the dormant turfgrass (inactive growth) in the late fall or



Master Label/Sublabel A – Commercial Ag Neem Oil 70%

FUNGICIDE/MITICIDE/INSECTICIDE

For use on vegetables, fruits, nuts, melons, outdoor ornamental plants and agronomic crops.
For foliar control of fungal disease and insect pests
Can be Used Up to Day of Harvest



ACTIVE INGREDIENT:

Clarified Hydrophobic Extract of Neem Oil	70%
OTHER INGREDIENTS	30%
TOTAL	100%

This product contains 5.46 lb of clarified hydrophobic extract of neem oil per US gallon.

This container will treat up to 0.5 acres when used at the highest application rate (only for containers less than 5 gallons).

Net Contents:

EPA Reg. No. 70051-2

EPA Est. No.70051-CA-001

Composition covered by US patents 5,298,251; 5,356,629; 5,372,817; 5,405,612; and 5,409,708

Lot No.:

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See Inside panels for Additional [Precautionary Statements], [Directions for Use], [Storage and Disposal Statements], [and] [Warranty]

Manufactured by:

Certis USA, LLC

9145 Guilford Road, Suite 175

Columbia, MD 21046





A HUBER COMPANY



Vapor Gard®

ANTI-TRANSPIRANT / ANTI-DESICCANT

ACTIVE INGREDIENT: di-1-p-Menthene 96%

INERT INGREDIENTS: 4%

The amount of active ingredient in the formulation does not determine the activity. Activity is governed by the film which is formed and this is determined by refinement. The active ingredient in this product is Pinolene®, a terpenic polymer. This product is non-ionic.

**KEEP OUT OF REACH
OF CHILDREN**

Manufactured by:
MILLER CHEMICAL & FERTILIZER, LLC
P.O. Box 333, Hanover, PA 17331
U.S.A.
11282023V1.0

GENERAL INFORMATION

VAPOR GARD® is a water emulsifiable concentrate for use on plants to reduce water transpiration. The soft flexible film formed after the spray application dries will significantly reduce moisture lost by the plant foliage. All anti-transpirant spray applications must be applied for full coverage.

Spray VAPOR GARD for full coverage or use as a dip. No additional spreader is needed with VAPOR GARD.

Apply VAPOR GARD at least one hour, during daylight, before an anticipated rain. Sunlight is needed for the protective film to set.

VAPOR GARD dries on plants to form a clear, glossy film which retards normal moisture loss without interfering with plant growth or normal respiration.

NET CONTENTS: 2.5 GALLONS LIQUID (9.46 L) • NET WEIGHT: 19.5 LBS (8.9 kg)

**GUARDS
AGAINST
MOISTURE LOSS
YEAR 'ROUND**

**WILT
PRUF**



**THE SAFE WAY TO REDUCE
MOISTURE LOSS WHEN
PLANTS ARE UNDER STRESS
DUE TO:**

- **WINTER KILL**
- **WINDBURN**
- **DROUGHT**

1 GALLON (3.8 LITERS)




**PLANT
PROTECTOR**

CONCENTRATE

**The Proven Long Lasting
Anti-Transpirant Since 1950!**

**GUARDS AGAINST MOISTURE
LOSS YEAR ROUND**



**FOR USE ON VALUABLE EVERGREEN SHRUBS SUCH AS RHODODENDRONS, BOXWOODS,
AZALEAS, HOLLIES, LAURELS AND OTHER ORNAMENTALS.**

Excessive moisture loss from plants causes severe wilting, shock or plant failure. It strikes: in winter when drying winds and frozen ground deprive plants of their natural moisture intake; when plant roots are disturbed during transplanting; during periods of drought; or when Christmas trees and greens are cut. WILT-PRUF forms a long lasting protective coating which holds in moisture on plant foliage reducing water loss during plant stress. WILT-PRUF forms a clear, flexible film without interfering with plant growth or materially affecting respiration, osmosis or photosynthesis. Normal weather conditions will, in time, oxidize the film depending on strength of the mix and climatic conditions. As the outside layer wears off and powders away, another layer forms. This process continues until all the layers have worn off which takes three or four months. Other anti-transpirants provide a single coating only, and when that coating cracks and wears off there is no protection left. When mixing the concentrate, as well as the diluted spray, it may be advisable to use a paint mixer for both so that there is no sign of any orange pine resin not being thoroughly mixed with the prevailing white solution.

DIRECTIONS: SHAKE WELL BEFORE AND AFTER DILUTING. SPRAY TOPS AND BOTTOMS OF LEAVES, NEEDLES AND STEMS TO RUN OFF. ALWAYS ALLOW WILT-PRUF TO DRY OUTDOORS IN DAYLIGHT (NOT NECESSARILY SUNLIGHT) FOR THREE TO FOUR HOURS. WHEN DILUTING, ALWAYS ADD THE WILT-PRUF CONCENTRATE TO WATER.

TRANSPLANTING: For spring, summer and fall transplanting, water plants thoroughly, when possible, before spraying with WILT-PRUF. Apply WILT-PRUF at a dilution rate of 1:10. It is best to spray a few hours before digging, or if necessary just after transplanting.

FOR WINTER PROTECTION: You may spray WILT-PRUF anytime as long as the spray does not freeze on the foliage while spraying and then allowing three to four hours drying time outdoors in daylight (not necessarily sunlight). Use a 1:5 dilution rate. Spray arborvitae, cypress, junipers and cedars in late fall when plant moisture in these species has retreated to the root system for the winter. One application should last 3 to 4 months.

FOR DROUGHT AND WINDBURN PROTECTION: Spray once each season at a dilution rate of 1:10.

FOR CHRISTMAS TREE PROTECTION: To keep trees, wreaths and greens from drying out, turning brown and dropping needles, spray at a dilution rate of 1:10 outdoors in daylight (not necessarily sunlight). Allow to dry for three to four hours before bringing indoors.

FOR STORAGE PROTECTION: Tubers and bulbs can be sprayed or dipped in a mixture of Wilt-Pruf at a dilution rate of 1:10. Allow to dry outdoors in daylight before putting in storage.

FOR PROTECTION DURING SHIPPING: To guard against drying out from windburn during shipment of plants, trees and shrubs; spray at a dilution rate of 1:10 and allow to dry before loading.

WASH surfaces sprayed in error immediately with warm water and detergent. Dried film may be dissolved with kerosene, but it may be best to let the film oxidize and disappear naturally in several weeks time. Use any pressure type trombone, pump or power sprayer except hose end. The more pressure, the better the spray pattern. Immediately after use, flush sprayer thoroughly with warm water and detergent.

STORAGE: DO NOT store diluted WILT-PRUF in sprayer. Shelf life of CONCENTRATE is indefinite and is not damaged by freezing in storage.

Do not use on African violets or exotic, slow growing dwarf plants. WILT-PRUF will turn Blue Spruce green temporarily.

WILT-PRUF is organic, biodegradable, non-hazardous and non-toxic.

Also available in Ready-to-Use Trigger Sprayers.

1:10 = 1 part concentrate to 10 parts water

1:5 = 1 part concentrate to 5 parts water

A part can be any measured quantity.

Ingredients: Pinolene 25%, Inert

Made in USA

WILT-PRUF PRODUCTS, INC.

P.O. Box 469
Essex, CT 06426
www.wiltpruf.com

NOTIFICATION

2217-937

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

12/23/2019

SAGACITY(TM) 10 SL

EPA Reg. No. 2217-937

Alternate Brand Names:
Zylam Liquid Systemic Insecticide

Group 4A Insecticide

For control of listed chewing and sucking insects infesting landscape ornamentals and turf

For outdoor use only

ACTIVE INGREDIENT:

Dinotefuran*, N-methyl-N'-nitro-N'-[(tetrahydro-3-furanyl)methyl]guanidine 10%

OTHER INGREDIENTS: 90%

TOTAL 100%

* 0.89 pounds Dinotefuran per gallon

KEEP OUT OF REACH OF CHILDREN

CAUTION

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

See attached booklet [inside pages] for complete Precautionary Statements and Directions for Use, including First Aid and Storage and Disposal.

Net Contents: _____
EPA Est. No. _____

Company Name and Address:
PBI/Gordon Corporation
P.O. Box 860350
Shawnee, Kansas 66286

